Herpetologica, 60(4), 2004, 533–539
© 2004 by The Herpetologists' League, Inc.

INDEX TO SCIENTIFIC NAMES

HERPETOLOGICA

Volume 60 December 2004

Abies 456
fraseri 470
Acacia caven 369
Acer 470
Acomys russatus 20
spp. 20
Adelotus brevis 165
Allophryne ruthveni 421
Alnus acuminata 369
Ambystoma 353
annulatum 206, 209
laterale 45, 48, 51
maculatum 45, 48, 51, 304–309
opacum 308
tigrinum 208, 381–382
Ameiva 440
exsul 441–443
Anadia 515
Andreaea spp. 290
Anguis fragilis 183–184
Anolis 440
carolinensis 168–169, 173–176
cristatellus 441
grahami 62–64, 70–72
stratulus 441
Aphelocoma coerulescens 59
Ascaphus 114
truei 222–224, 226, 230
Atelopus farci 91
subornatus 86–88, 91
Atriplex lampa 193
Atropoides nummifer 248–249, 260
Batrachochytrium dendrobatidis 142, 146, 148
Batrachyla 222
antartandica 223–224, 226, 229–230
Befaria racemosa 55
Berberis comberi 193
Betula 470
Blarina brevicauda 308
Bolitoglossa platydactyla 482
Bombina orientalis 230
variegata 230
Bothriechis lateralis 248–249, 260
nigroviridis 248–249, 260
Bothrops achrocordus 257
jonathani 364, 370
surucucu 255
Bourreria succulenta 441
Bradytriton silus 483
Bucidia buceras 440–441
Bufo americanus 45, 47–48, 51, 465
arenarum 223–224, 226
boreas 208, 455
bufo 35, 41–42, 49, 349, 353, 462
calamita 35, 162, 463
fernandezae 226
fowleri 418
lemur 141, 145
marinus 9, 91, 143, 146–147, 153, 272, 416, 418
pentoni 35
periglenes 149
raddei 35
valliceps 418
viridis 20
vulgaris 222
woodhousii 84–88
Calamodontophis 364
Callisaurus draconoides ventralis 62–72, 74
Calotes versicolor 62–72, 74
Campostoma pullum 203, 205–206
Centrolene 485–486
prosoblepon 492
Cerastes cerastes 217
Ceratiola ericoides 55
Ceratodon spp. 290
Chelydra serpentina 326
Chersina angulata 452
Chiasmocleis alagoana 495, 498, 500
albopunctata 500
atlantica 495, 497, 501
bassleri 501
capixaba 495, 497–499, 501
carvalhoi 495–496, 498–499, 501
cordeiroi 495, 497, 501
crucis 495, 497, 499, 501
***gnoma* 496**–499
jimi 501
leucosticta 495, 497, 501
mehelyi 501
panamensis 501
cf. *schubarti* 501
schubarti 495, 497–499, 501
Chiropterotriton 482
Chirixalus eiffingeri 10
Chrysemys picta 325–328, 330–334
Chuquiraga hystrix 193
Cladina spp. 55, 290
Cladonia spp. 55, 290
Clemmys guttata 332–333
Cnemidophorus sexlineatus sexlineatus 59
tigris 131
Cnidoscolus stimulosus 55
Coccoloba diversifolia 441
Cochranella castroviejoi 485, 489–491, 493–494
croceopodes 489–491, 493–494
daidalea 485–487, 489–491, 493
euknemos 485–491, 493–494
granulosa 485, 488–494
***mache* 486**–493
ocellata 485, 493

ramirezi 485, 489–491, 493
resplendens 485–487, 489–491, 493–494
savagei 485–487, 489–491, 493
solitaria 485–487, 489–491, 493
spinosa 485, 493
Colliguaya intergerrima 193
Coluber alecto 255
constrictor priapus 60
crotalinus 255
Condalia microphylla 193
Cophias crotalinus 254–255
Cophosaurus 70
Cornus 470
Cottus carolinae 203–206
Crasedocephalus crotalinus 255
Craugaster 519, 524
Crescentia linearifolia 441
Crotalus analuacus 285
aquilus 282, 286
cerastes 14, 22
horridus 14, 436
intermedius 281–282, 284–286
intermedius intermedius 281
klauberi 285
lepidus 282, 285–286
miquihuanus 285
mutus 254–255
omiltemanus 285
pricei 281–282, 284–285
pusillus 281, 284–286
ravus 282
species inquirenda 282
***tancitarensis* 281**–285
transversus 281–282, 284–285
triseriatus 281–282, 284–286
triseriatus triseriatus 281
viridis viridis 22
willardi 286
Crotaphytus collaris 337–339, 345–346
Ctenophorus nuchalis 70
Cyrilla racemiflora 143
Cyrtopholis portoricensis 441
Deinagkistrodon 218
Dendrobates 1
castaneoticus 9
pumilio 165
Dendrophryniscus brevipollicatus 84–89, 94
Desmognathus conanti 470
fuscus 470–472, 475
imitator 470
marmoratus 471
monticola 471
ochrophaeus 42, 381, 401–402, 404–405, 470–473, 475
ocoee 470
quadramaculatus 468, 471–472, 474–475
santeetlah 470
wrighti 471–472, 474–476
Diadophis 180–184
punctatus 179
Dipodomys stephensi 287
Dipsosaurus 81
dorsalis 174
Discoglossus pictus 230
Drosophila 26
Duranta serratifolia 369
Echis coloratus 13–17, 20–22
Ecpleopus guentheri 501, 515–516
Elachistocleis bicolor 223–224, 226
Elaphe obsoleta obsoleta 287
Eleutherodactylus 103
achatinus 492
alfredi 358–359, 361–362
andi 524–526
anthrax 106, 116
augusti 312, 314–318
augusti augusti 313
augusti cactorum 312–313, 319
augusti fuscofemora 313
augusti latrans 312–313, 319
bocourti 315–318, 358–359, 362, 525
cactorum 312, 319
cerasinus 522
chalceus 106
cochranae 145
conspicillatus 277
coqui 143–150, 153
crassidigitus 524–526, 528–529
cuaquero 519, 522, 524–529
decoratus 358–359, 361, 363
diastema 105–106, 114, 116
discoidalis 114, 369
emcelae 519–520, 522, 524–529
eneidae 141–144, 146, 148, 150, 153
escoces 521, 528–529
***esmeraldas* 104**–109, 111–112, 114
fitzingeri 519–522, 524–526
***galacticorhinus* 358–359**, 360–361, 363
glaucus 359, 363
gollmeri 315
gryllus 143–146, 148, 153–154
guerreroensis 359, 363
gularis 106, 116
hedricki 143
hylaeformis 106, 116
jasperi 141–144, 146, 148–150, 154
karlschmidti 141–144, 146, 148–150, 154
lanthanites 276–277
latrans 312, 319
librarius 114
limbatus 86
lineatus 315–316
locustus 144, 146, 148, 154
longirostris 524, 526, 528
martinicensis 114
megalotympanum 359, 362–363
melanostictus 519–520, 522, 524–527
mexicanus 361
monnichorum 519, 522, 524–529
nitidus 361
ockendeni 114
orcesi 114
palmeri 114
phasma 519–520, 524–526
polymniae 359, 361, 363
portoricensis 143–148, 150, 154
punctariolus 114
quidditus 106, 116

raniformis 524–526
ranoides 521, 529
rayo 519, 522, 524–527
richmondi 143–144, 146, 148, 154
rugulosus 521
***sagittulus* 275–276**, 277–279
scolodiscus 106, 114, 116
silvicola 359, 362–363
spatulatus 358–359, 361, 363
stuarti 359, 363
***tabasarae* 521**–527
taeniatus 116
talamancae 524–526, 528–529
taylori 359, 363
tigrillo 106
tinker 106, 116
unicolor 143–145
unistrigatus 114, 275–277, 279
vocator 106, 116
walkeri 105, 114, 116
wightmanae 143–144, 148
xucanebi 358–359, 363
yucatanensis 359, 362–363
Emydoidea blandingii 333–334
Ermia 211, 213, 217
Eumeces fasciatus 174, 287–291, 293
laticeps 321, 323–324
Eupatorium saltense 369
Euphlyctis cyanophlyctis 416
Eurycea bislineata 401–402, 404–405, 474
cirrigera 26–28
guttolineata 24, 26–28, 30–32
longicauda melanopleura 24, 26–28, 30–31
lucifuga 24, 26–28, 30–31
multiplicata griseogaster 203–205
multiplicata multiplicata 24, 26–28, 30–31
quadridigitata 24, 26–28, 30–32
wilderae 24, 26–28, 30–32, 471–472, 474–476
Euspondylus 501
caideni 502, 512, 516
guentheri 502, 512, 516–517
josyi 502, 512, 516
maculatus 502, 512, 516–517
***nellycarrillae* 507**, **510**–512, 514–516
rahmi 502, 504, 508, 512, 516, 518
simonsii 502, 504, 508, 512, 516, 518
spinalis 502, 504, 508, 512, 514–516, 518
Fagara coco 369
Fagus 470
Falco tinnunculus 922
Garberia fruticosa 55
Gasterosteus sp. 409
Geobatrachus walkeri 86–88, 92
Geospiza sp. 409
Gerbillus dasyurus 16
Gloydius 218
sheadoensis 22
Gomesophis 364
Gopherus 334
agassizii 450–451
Guaiacum officinale 440–441
Gyrinophilus porphyriticus 472
Haploppapus pectinatus 193
Hemidactylus 440
mabouia 441, 443
Herpestes auropunctatus 441
Holbrookia 70, 346
maculata 345
propinqua 345
Homonota darwinii 194
fasciata 197
Homopus areolatus 450–452
bergeri 452
boulengeri 452
signatus 445
signatus signatus 444–452
Hoplobatrachus tigerinus 414–418
Hoplophryne 1
Hyalinobatrachium 485–486
Hyla 222
andersonii 9
andina 369
bromeliacia 1
chrysoscelis 208
cymbalum 388, 394
ericae 388, 394
***freicanecae* 387–388**, 389–395
granosa 421
marginata 388, 394
minuta 223–224, 226, 228–229
parviceps 420–427
picturata 492
prasina 388, 394
pulchella 387
pulchella joaquini 388–389, 394
pulchella pulchella 388, 394
rosenbergi 162
semiguttata 388–389, 394
squirella 223–224, 226, 230
versicolor 208
wilderi 1
Hylodes augusti 312
Hymenaea courbaril 440–441
Ixalotriton 478–479
Juniperus 457
Kinosternon subrubrum 326
Lacerta monticola 288, 321, 323–324
Lachesis 248, 250
acrochorda 247
ater 255
atra 255
brasiliensis 255
melanocephala 245–246, 249, 251–252, 256–258, 260
muta 247, 249, 252, 254–258, 260
muta melanocephala 254, 257
muta muta 245–246, 253–255
muta noctivaga 254–255, 260
muta rhombeata 246, 253–255
muta stenophrys 254, 257
mutus 255
rhombeata 254–255
stenophrys 245–246, 249, 251–252, 254, 256–258, 260
Lachoesis rhumbeata 255
Lampropeltis 180–182, 184–185
triangulum 179
Larrea divaricata 193
Leiocephalus 80

Leptodactylus albilabris 145
bufonius 295–302
fuscus 295
knudseni 421
latinasus 295–302
Leucaena leucocephala 441
Limnonectes blythi 156
kuhlii 155–156, 159, 161–165
leporina 156, 161
Lineatriton 478
Liolaemus austromendocinus 188–190, 194, 198–200, 202
boulengeri 194
buergeri 198, 200, 202
capillitas 188–189, 191, 195, 198–200, 202
ceii 200
chiliensis 198
cf. *elongatus* 188, 200
darwinii 194, 197–199, 203
dicktracyi 188–189, 191, 195, 198–200, 202
donosobarrosi 194
elongatus 187, 190, 193–194, 197–200, 202
gracilis 194, 198–199, 203
gununakuna 187–189, **190**–191, 193–194, 198–200, 202–203
heliodermis 188–189, 191, 195, 200
kingii 198, 203
kriegi 187, 190, 193–194, 197–200, 202
leopardinus 200
lineomaculatus 198, 203
multimaculatus 288
olongasta 197
petrophilus 187–190, 194, 198–200, 202
pictus 198–199, 203
pseudoanomalus 197–199, 203
punmahuida 198–199, 203
sp. A 197–198, 202
sp. B 197–198, 202
sp. C 198, 202
sp. 4 198–200, 203
sp. 5 197–199, 202
sp. 6 197–199, 202
sp. 7 197–199, 202
sp. 8 197–198, 202
sp. 9 198–199, 203
talampaya 187–189, 191, **194**–195, 197–200, 202
umbrifer 188–189, 191, 195, 198–200, 202
vallecurensis 198–199, 203
Liquidambar 478, 482
Liquidamber 470
Liriodendron 470
Lithodytes latrans 312
Litoria aruensis 100
bicolor 100
bulmeri 100
chloris 34–40, 42, 100
chloronota 98–99
contrastens 100
elkeae 100
gracilenta 100
gracilienta 100
graminea 100
havina 98–99
iris 97, 99
lesueuri 34–40, 43
leucova 100
longicrus 100
majikthise 98–99
mucro 98–99
multiplica 100
mystax 100
nigropunctata 97, 99–100, 102–103
ollauro 98, 100
pearsoniana 34–40
pronimia 98, 100
rubrops **98**–102
vocivincens 97, 100, 102
wapogaensis 98, 100
xanthomera 100
Lumbriculus variegatus 205–206
Malacochersus tornieri 452
Mantidactylus albolineatus 2
bicalcaratus 1–8, 10–11
cf. *pulcher* 3
flavobrunneus 2
microtympanum 35
pulcher 2
punctatus 1–8, 10–11
Margaritifera hembel 287
Masticophis flagellum flagellum 60
Melicoccus bijugatus 441
Microlophus atacamensis 78, 80, 83
occipitalis 78, 83
peruvianus 78, 83
stolzmanni 78, 83
theresiae 78, 83
Microtus pennsylvanicus 431
Mixophyes fleayi 34–41
Myrica pubescens 369
Nectodactylus spinulosus 501
Nerodia 180–185
sipedon 179
Notophthalmus viridescens 48, 208–209, 380, 382–383
viridescens dorsalis 373–375, 377, 379, 384–386
viridescens louisianensis 373–375, 377–379, 381, 384–386
viridescens piaropicola 373–375, 377, 379, 381, 384–386
viridescens viridescens 373–375, 377–379, 381, 384–386
Oedura lesuerii 288
Ophryoessoides 76, 80–81
Opipeuter xestus 369, 502, 504, 508, 512, 518
Opuntia spp. 55
Osteocephalus taurinus 421, 427
Ovophis 211, 213, 217
Pachydactylus capensis capensis 70
Palafoxia feayi 55
Pandanus 3–11
Parvimolge 479, 483
pracellens 478
townsendi 479, 483
Pelobates cultripes 230
fuscus 41, 230
Pelodytes punctatus 230
Peltophryne lemur 141
Peromyscus maniculatus 431
Pharomachrus mocinno 483
Philautus 1

Philodryas varias 369
Pholidobolus 515
Phoxinus phoxinus 209
Phrynohyas resinifictrix 1
Phrynosoma 70
blainvillii 117, 121–123, 125–132, 134–136
cerroense 117, 121–124, 126–132, 134–136
coronatum 117, 119, 125–132, 134–136, 138
coronatum blainvilli 120, 124
coronatum coronatum 122–123
coronatum frontale 120, 122, 124, 136
coronatum jamesi 121–122, 131
coronatum schmidti 120, 124, 135–136
fontale 121–122
jamesi 121, 135
schmidti 121–122
wigginsi 117, **132**–136
Phymaturus indistinctus 198, 203
Physalaemus caicai 273
coloradorum 261, 263, 269, 273–274
freibergi 261
montubio 261–266, 268–**269**, 270–273
petersi 261, 263, 269, 273, 275
pustulosus 261, 263–265, 268–269, 272–273, 275, 427
randi 261–**263**, 264–270, 272–273
sp. B 273
Physocephalus 146
Picea 456
mariana 46
rubens 470
Pictitia aculeata 441
Pinus clausa 55
contorta 456
resinosa 46
strobus 46
Pithecellobium dulce 440–441, 443
Pituophis catenifer 131
Plethodon 29
cinereus 32, 48, 353, 382, 401–405, 408–413
dunni 31
glutinosus 472, 476
hoffmani 408–413
jordani 468, 471–476
metcalfi 472
oconaluftee 472, 476
serratus 26–28, 30, 32, 472
websteri 26–28
Plica 76
plica 78–80, 83
umbra 78, 80, 83
Podarcis lilfordi 321–324
Podocarpus parlatorei 369
Poecilia reticulata 308
Pogonomymes spp. 457
Polygala cowellii 441
Polylepis 369
Populus tremuloides 456
Proctoporus 514
achlyens 518
bolivianus 502, 512, 516, 518
cashcaensis 507
columbianus 504, 507, 512
guentheri 501–502, 515–516, 518
hypostictus 507
inanis 502
labionis 507
***labiooculars* 502**–504, 506–507, 515–516
***laudahnae* 506**–510, 515–516
luctuosus 502
maculatus 501
meleagris 504
pachyurus 501–502, 512, 516, 518
simoterus 504, 507
striatus 518
sucullucu 516
unsaacae 516
ventrimaculatus 502, 504, 507, 516, 518
Proctotretus 76
Prosopis denudans 193
flexuosa 193
pallida 441–443
spp. 197
Protobothrops 213
cornutus 211, 219
elegans 218–219
flavoviridis 218–219
jerdonii 211, 217–219
kaulbacki 219
mucrosquamatus 215, 217–219
tokarensis 218–219
xiangchengensis 218–219
Pseudacris crucifer 45, 47–48, 51
Pseudemys 334
concinna 333
Pseudoeurycea aurantia 479
belli 482
cephalica 483
juarezi 479
lynchi 482
parva 478
praecellens 478–479, 481, 483–484
***quetzalanensis* 479**, 481–484
werleri 482
Pseudotomodon trigonatus 364, 366, 369–370, 372
Ptychoglossus 515
Ptychophis 364
Ptyodactilus guttatus 17, 20
Pyxis arachnoides 452
planicauda 452
Quercus 478, 482
chapmanii 55
ellipsoidalis 433
geminata 55
mytrifolia 55
Rana 222
blairi 86
blythi 156
catesbeiana 165, 355, 418
clamitans 45, 47–48, 51, 164, 418
curtipes 416
cyanophlyctis 35
erythreae 418
esculenta 349–355
lessonae 349–355
levantina 17, 20–21
luteiventris 463
nigrovittata 35
perezi 41

pipiens 45, 47–48, 51, 84–86, 88
pretiosa 42
ridibunda 349
rugulosa 84–90, 94
sakuraii 35, 42
septentrionalis 47–48, 416
sphenocephala 203–205
subaquavocalis 41–42
sylvatica 35, 41–42, 45, 47–48, 51
temporaria 35, 41–42, 353
tigerina 414
tigrina 414
virgatipes 418
Randia aculeata 441
Retanilla patagonica 193
Rhabdias 146
sp. 147
Rhacophorus cf. *harrissoni* 1
Rhinoderma darwinii 86–88, 93
Sabal etonia 55
Salamandra salamandra 232–233, 236–237, 239, 241–243
salamandra bejarae 233
salamandra terrestris 240–241
Salix 457
spp. 456
Salmonela aberdeen 147
miami 147
Salmonella 146
Sambucus 457
Sator grandaevus 75
Sauromalus 81, 131
Scaphiopus couchii 35
Sceloporus 59
grandaevus 75, 80–81
occidentalis 136
undulatus 174
woodi 54, 57–58
Schinus molle 369
Scinax eringiophila 223–224, 226–227, 229
fuscovarius 223–224, 226, 229
quinquefasciatus 272
sp. 421
Scolopendra sp. 441
Scytale ammodytes 254–255
catenata 255
catenatus 255
Sistrurus catenatus catenatus 429, 434
Sitta sp. 409
Smilisca sila 427
Sorex cinereus 308, 431
Sphaerodactylus ariasae 438
becki 438
nicholsi 438–443
parthenopion 438, 442
townsendi 438
Stenocercus 75
aculeatus 78, 83
angel 78, 83
apurimacus 78, 83
arenarius 78, 83
azureus 78, 83
boettgeri 78, 80, 83
bolivarensis 78, 80, 83
caducus 78, 83
chlorostictus 78, 83
chota 78, 83
chrysopygus 78, 83
crassicaudatus 78, 83
cupreus 78, 81, 83
doellojuradoi 78, 83
empetrus 78, 83
erythrogaster 78, 83
festae 78, 80, 83
fimbriatus 78, 80, 83
formosus 78, 83
guentheri 76, 78–81, 83
haenschi 78, 83
huancabambae 78, 80, 83
humeralis 78, 83
imitator 78, 83
iridescens 78, 83
ivitus 78, 83
lache 78, 81, 83
marmoratus 78, 83, 369
melanopygus 78, 83
moestus 78, 83
nigromaculatus 78, 83
ochoai 78, 83
orientalis 78, 80, 83
ornatissimus 78, 83
ornatus 78–79, 83
pectinatus 78, 83
percultus 78, 83
praeornatus 78, 83
rhodomelas 78, 83
roseiventris 78, 83
scapularis 78, 80, 83
simonsii 78, 83
trachycephalus 78–80, 83
tricristatus 78, 83
variabilis 78, 83
varius 78, 83
Stigmaphyllon periplocifolium 440–441
Stipa sp. 193
Storeria dekayi 179–184
occipitomaculata 179–182
Syncope antenori 1
Tachymenis 364, 366, 370
affinis 372
attenuata 372
peruviana 372
Talinum triangulare 441
Tamarindus indicus 440–441, 443
Taricha 381
Telescopus dhara 21
Tenebrio molitor 26
Terrapene carolina bauri 451
ornata luteola 451
Testudo graeca 450
Thamnodynastes 364, 366, 369–370
strigatus 372
strigilis 372
Thamnophis 180–184
elegans 184
sirtalis 179, 208, 401–405
sirtalis sirtalis 434
Theloderma stellatum 1
Thorius schmidti 358

Tomodon dorsatus 366, 370, 372
ocellatus 364, 366, 369–370, 372
orestes 364–**365**, 366–367, 369–370, 372
Toxostoma lecontei 131
Trachycephalus jordani 272
Triceratolepidophis 211, 213, 218
sieversorum 214–215, 217
Trigalus 254
Trigonocephalus 254
ammodytes 255
brasiliensis 255
crotalinus 255
rhumbeatus 255
Trimeresurus borneensis 218
cornutus 211–219
gramineus 218
karanshahi 218
medoensis 218
puniceus 218
stejnegeri 218
strigatus 219
tibetanus 218
Triturus alpestris 41–42
boscai 41
cristatus 349
marmoratus 41, 349
vulgaris 43
Tropidolaemus 211, 213, 217
Tropodurus 76
bogerti 78, 83
etheridgei 78, 83
hispidus 78, 83
melanopleurus 78–80, 83
spinulosus 78–80, 83
thoracicus 78, 83
Tsuga canadensis 470
Uma 70
Uracentron 76
azureum 78–80, 83
flaviceps 78–80, 83
Uranoscodon 76
Urosaurus 117, 130, 136
Vaccinium 457
Walterinnesia aegyptia 14
Xenopus 222
laevis 230
Yucca filamentosa 55
Zanthoxylum flavum 441
monophyllum 441
Zapus hudsonius 431
Ziziphus reticulata 441

Herpetologica, 60(4), 2004, 540–541
© 2004 by The Herpetologists' League, Inc.

TOPICAL INDEX

HERPETOLOGICA

Volume 60 December 2004

ABDOMINAL SKELETON, tropidurid lizards (61 spp.) 75–83.

ABUNDANCE ESTIMATES, salamander community 468–478.

ADVERTISEMENT CALL, *Eleutherodactylus augusti* 312–320.

AGGREGATION, *Anolis carolinensis* 168–177; six spp. of snakes in Ontario, Canada 178–186.

AGONISTIC INTERACTIONS, *Hyla parviceps* 420–429.

ALARM CHEMICAL, *Eurycea* (5 spp.) 24–33.

ALLOZYMES, *Notophthalmus viridescens* 373–386.

ALTITUDE, *Litoria chloris*, *L. lesueuri*, *L. pearsoniana*, and *Mixophyes fleayi* (altitudinal variation in age at maturity, longevity, and reproductive lifespan) 34–44.

AMPHIBIAN DECLINES, *Eleutherodactylus* in Puerto Rico 141–154.

ANTIPREDATOR BEHAVIOR, *Eurycea* (response to alarm chemicals by 5 spp.) 24–33; *Eurycea multiplicata griseogaster* 203–210.

ARCIFEROFIRMISTERNY, anuran pectoral girdle 84–97.

ARCIFERY, anuran pectoral girdle 84–97.

BASKING, *Chrysemys picta* 325–336.

BIOGEOGRAPHY, *Lachesis* 245–260; *Phrynosoma coronatum* group 117–139.

BODY SIZE, *Litoria chloris*, *L. lesueuri*, *L. pearsoniana*, and *Mixophyes fleayi* (altitudinal variation) 34–44; six spp. of snakes in Ontario, Canada 178–186.

BODY TEMPERATURE, *Chrysemys picta* 325–336.

CAR, amphibian road mortality (related to traffic intensity) 45–53.

CARIBBEAN, first report of chytrid fungus 141–154.

CHARACTER DISPLACEMENT, *Plethodon cinereus* and *P. hoffmani* (in muscle mass and tooth number) 408–413.

CHEMICAL CUES, *Desmognathus ochrophaeus*, *Eurycea bislineata*, and *Plethodon cinereus* (responses to a snake predator) 401–408; *Eurycea multiplicata griseogaster* (detecting predators) 203–210.

CHYTRID FUNGI, related to decline of *Eleutherodactylus* in Puerto Rico 141–154.

CLASSIFICATION AND REGRESSION TREE, *Eumeces fasciatus* (predictor of presence) 287–294.

CLIMATE CHANGE, related to decline of *Eleutherodactylus* in Puerto Rico 141–154.

CLOACA, anuran larvae 222–231.

CLUTCH SIZE, *Homopus signatus signatus* 444–454.

COLORATION, *Crotophytus collaris* (female reproductive) 337–348.

COMMUNICATION, *Hyla parviceps* 420–429.

CONSERVATION, amphibian road mortality (related to traffic intensity) 45–53; *Eumeces fasciatus* 287–294.

COUNTS, salamander community (estimating abundance and detection probabilities) 468–478.

COURTSHIP, *Crotophytus collaris* 337–348.

COVER, six spp. of snakes in Ontario, Canada 178–186.

CREVICE, *Anolis carolinensis* 168–177.

DATALOGGER, *Chrysemys picta* 325–336.

DEAD ON ROAD, amphibian road mortality (related to traffic intensity) 45–53.

DELAYED REPRODUCTION, *Litoria chloris*, *L. lesueuri*, *L. pearsoniana*, and *Mixophyes fleayi* (related to altitude) 34–44.

DENTITION, *Plethodon cinereus* and *P. hoffmani* (character displacement in tooth number) 408–413.

DETECTION PROBABILITY, salamander community 468–478.

DETRITIVORY, *Mantidactylus bicalcaratus* and *M. punctatus* tadpoles 1–13.

DISEASE, chytrid fungi on *Eleutherodactylus* in Puerto Rico 141–154.

DISTRIBUTION, *Trimeresurus cornutus* 211–221.

ECOLOGY, *Sistrurus catenatus catenatus* 429–437.

ECOMORPHOLOGY, *Callisaurus draconoides ventralis* and *Calotes versicolor* 62–74.

EFFECTIVE POPULATION SIZE, frogs 349–357.

EGGS, frogs (techniques to determine presence) 349–357; *Homopus signatus signatus* 444–454.

ESCAPE BEHAVIOR, *Podarcis lilfordi* 321–324.

FECUNDITY, *Sceloporus woodi* 54–61.

FEMALE REPRODUCTION, frogs 349–357.

FIRMISTERNY, anuran pectoral girdle 84–97.

FOLLICLES, *Homopus signatus signatus* 444–454.

FRAGMENTED HABITAT, *Sceloporus woodi* 54–61.

GAINS, *Ambystoma maculatum* 304–311.

GENE FLOW, *Notophthalmus viridescens* 373–386.

GROWTH, *Callisaurus draconoides ventralis* and *Calotes versicolor* (tail) 62–74; *Hoplobatrachus tigerinus* 414–419.

HABITAT, *Trimeresurus cornutus* 211–221.

HABITAT SELECTION, *Bufo boreas* (post-breeding adults) 455–467; *Hyla parviceps* 420–429; *Sphaerodactylus nicholsi* 438–444.

HABITAT USE, *Echis coloratus* 13–23.

HEMIPENIAL MORPHOLOGY, *Trimeresurus cornutus* 211–221.

IBUTTON, *Chrysemys picta* 325–336.

JAW MUSCLE, *Plethodon cinereus* and *P. hoffmani* (character displacement in mass) 408–413.

KAIROMONES, *Eurycea multiplicata griseogaster* 203–210.

LAGS, *Litoria chloris*, *L. lesueuri*, *L. pearsoniana*, and *Mixophyes fleayi* 34–44.

LARGE-MALE MATING ADVANTAGE, *Limnonectes kuhlii* 155–167.

MALE MATING SUCCESS, *Limnonectes kuhlii* 155–167.

MATERNAL EFFECTS, *Salamandra salamandra* (on survival, growth, and metamorphosis) 232–245.

MATING SYSTEM, *Limnonectes kuhlii* 155–167.

METAMORPHOSIS, *Salamandra salamandra* (maternal effects) 232–245.
METAPOPULATION, *Sphaerodactylus nicholsi* 438–444.
MICROHABITAT, *Eumeces fasciatus* 287–294; *Leptodactylus bufonius* and *L. latinasus* 295–303.
MIGRATION, amphibian road mortality (related to traffic intensity) 45–53.
MIMICRY, *Bothrops jonathani* and *Tomodon orestes* 364–372.
MITOCHONDRIAL DNA, *Eleutherodactylus augusti* 312–320.
MOLECULAR SYSTEMATICS, *Trimeresurus cornutus* 211–221.
MONITORING, frog populations 349–357; salamander community 468–478.
MORPHOLOGICAL VARIATION, tropidurid lizards (abdominal skeletons of 61 spp.) 75–83.
MORPHOMETRICS, *Callisaurus draconoides ventralis* and *Calotes versicolor* 62–74.
MOVEMENT, amphibian road mortality (related to traffic intensity) 45–53; *Bufo boreas* (post-breeding adults) 455–467.
MULTIPLE COHORT, *Mantidactylus bicalcaratus* and *M. punctatus* tadpoles 1–13.
NEW SPECIES, *Chiasmocleis* ***gnoma*** (Bahia, Brazil) 96; *Cochranella* **mache** (NW Ecuador) 86; Crotalus ***tancitarensis*** (Michoacán, Mexico) 281; *Eleutherodactylus* ***esmeraldas*** (lowlands of NW Ecuador) 104; *Eleutherodactylus* ***galacticorhinus*** (Puebla, Mexico) 359; *Eleutherodactylus* ***sagittulus*** (Andean Peru) 276; *Eleutherodactylus* ***tabasarae*** (WC Panama) 521; *Euspondylus* ***nellycarrillae*** (C Peru) 510; *Hyla* ***freicanecae*** (NE Brazil) 388; *Liolaemus* ***gununakuna*** (W Argentina) 190; *Liolaemus* ***talampaya*** (W Argentina) 194; *Litoria* ***rubrops*** (Cloudy Mountains of SE Papua New Guinea) 98; *Phrynosoma* ***wigginsi*** (Baja California Sur, Mexico) 132; *Physalaemus* ***montubio*** (W Ecuador) 269; *Physalaemus* ***randi*** (W Ecuador) 263; *Proctoporus* ***labioocularis*** (C Peru) 502; *Proctoporus* ***laudahnae*** (C Peru) 506; *Pseudoeurycea* ***quetzalanensis*** (Puebla, México) 79; *Tomodon* ***orestes*** (Bolivia) 365.
NICHE COMPLEMENTARITY, *Leptodactylus bufonius* and *L. latinasus* 295–303.
NOCTURNAL TRAFFIC, amphibian road mortality (related to traffic intensity) 45–53.
NUPTIAL COLORATION, *Crotophytus collaris* (female) 337–348.
OPTIMAL ESCAPE THEORY, *Podarcis lilfordi* 321–324.
OSTEOLOGY, anuran pectoral girdle 84–97; *Eleutherodactylus esmeraldas* 103–116.
OVER-WINTERING, *Chrysemys picta* 325–336.
PECTORAL GIRDLE ARCHITECTURE, anurans 84–97.
PHYLOGENY, *Lachesis* 245–260.
PHYLOGEOGRAPHY, *Eleutherodactylus augusti* 312–320.
PHYTOTELMATA, *Mantidactylus bicalcaratus* and *M. punctatus* tadpoles 1–13.
PLASTICITY, *Salamandra salamandra* (metamorphic traits) 232–245.
POPULATION GROWTH, *Ambystoma maculatum* 304–311; *Sceloporus woodi* 54–61.
POPULATION SIZE, *Ambystoma maculatum* 304–311.
PRECOCITY, *Litoria chloris*, *L. lesueuri*, *L. pearsoniana*, and *Mixophyes fleayi* 34–44.
PREDATION, *Sceloporus woodi* 54–61.
PREDATOR AVOIDANCE, *Eurycea* (response to alarm chemicals by 5 spp.) 24–33.
PREDATOR DIET, *Desmognathus ochrophaeus*, *Eurycea bislineata*, and *Plethodon cinereus* (responses to a snake predator) 401–408.
PREDATOR-PREY, *Desmognathus ochrophaeus*, *Eurycea bislineata*, and *Plethodon cinereus* (responses to predator-diet cues) 401–408.
PREY ODOR, *Echis coloratus* 13–23.
REDESCRIPTION, *Trimeresurus cornutus* 211–221.
REPATRIATION, *Sistrurus catenatus catenatus* 429–437.
REPRODUCTION, *Crotophytus collaris* 337–348; *Homopus signatus signatus* 444–454.
REPRODUCTIVE MODE, *Litoria rubrops* 97–103.
RESOURCE-DEFENSE POLYGYNY, *Limnonectes kuhlii* 155–167.
SEASONAL TEMPERATURE VARIATION, *Chrysemys picta* 325–336.
SEXUAL DIMORPHISM, *Hoplobatrachus tigerinus* (size) 414–419; *Limnonectes kuhlii* 155–167.
SEXUAL MATURITY, *Hoplobatrachus tigerinus* 414–419.
SEXUAL SELECTION, *Limnonectes kuhlii* 155–167.
SHELL TEMPERATURE, *Chrysemys picta* 325–336.
SIBSHIP VARIATION, *Salamandra salamandra* (in metamorphic traits) 232–245.
SIT-AND-WAIT PREDATOR, *Echis coloratus* 13–23.
SKELETOCHRONOLOGY, *Litoria chloris*, *L. lesueuri*, *L. pearsoniana*, and *Mixophyes fleayi* 34–44.
SPATIAL ECOLOGY, *Limnonectes kuhlii* 155–167.
SPECIATION, *Notophthalmus viridescens* 373–386.
SURVIVAL, *Sceloporus woodi* 54–61.
SURVIVORSHIP, *Ambystoma maculatum* 304–311.
SYSTEMATICS, *Lachesis* 245–260; *Phrynosoma coronatum* group 117–139; *Tomodon orestes* 364–372.
TADPOLE, *Hyla freicanecae* 387–395; larval vent tube of anurans 222–231.
TAIL, *Callisaurus draconoides ventralis* and *Calotes versicolor* (growth) 62–74.
TAXONOMY, *Chiasmocleis* ***gnoma*** 495–501; *Lachesis* 245–260; *Pseudoeurycea* ***quetzalanensis*** 478–484.
TEMPERATURE, *Anolis carolinensis* 168–177.
THERMOCHRON, *Chrysemys picta* 325–336.
TRADEOFFS, *Podarcis lilfordi* (between feeding and escaping predators) 321–324.
TROPHIC ECOLOGY, *Leptodactylus bufonius* and *L. latinasus* 295–303.
VEHICLE, amphibian road mortality (related to traffic intensity) 45–53.
VERTEBRAE, *Callisaurus draconoides ventralis* and *Calotes versicolor* (caudal) 62–74.
VISUAL CUES, *Eurycea multiplicata griseogaster* 203–210.
VISUAL SIGNALING, *Hyla parviceps* 420–429.
WINTER, *Anolis carolinensis* 168–177.